

PA MOBILITY



TOOLS AND INTELLIGENT MODIFICATIONS



THE FEEDBACK LOOP

I hear and I forget. I see and I remember. I do and I understand.

Proverb, adapted from Xunzi

A movement system should be practiced, evaluated, and refined from the response it produces. Use each lesson to make one decision, apply it, and reassess.

01**HEAR**

Learn the principle, purpose, and decision behind the movement strategy.

02**SEE**

Study the examples, positions, and patterns until the instruction is recognizable.

03**DO**

Apply the drill or sequence with enough consistency to create useful feedback.

04**UNDERSTAND**

Compare the intended response with what happened during the task.

05**ADAPT**

Keep what works and adjust only what the evidence supports.

06**BUILD**

Use the lesson to improve access, control, tolerance, and capacity.

07**REPEAT**

Return to the process as the task, goals, and circumstances change.

HEAR → SEE → DO → UNDERSTAND → ADAPT → BUILD → REPEAT

LEARN THE PURPOSE. APPLY THE DRILL. RETEST THE TASK.

The system evolves as you do.



PRESERVE THE JOB. CHANGE THE TOOL.

Use the page numbers below to move through the guide in order or return directly to the decision you need.

TABLE OF CONTENTS

PAGE 05

The Tool Must Serve the Task

Choose equipment by the change it is meant to create.

PAGE 06

Band Assistance and Resistance

Use band tension to change the exercise—not to claim a joint was permanently repositioned.

PAGE 07

Band-Assisted Modules

Pair assisted access with active control and a task-specific retest.

PAGE 08

PVC and Dowel Feedback

Use a rigid reference to make position and movement easier to understand.

PAGE 09

Shoulder and T-Spine Sequence

Combine thoracic motion, scapular control, shoulder range, and an integrated reach.

PAGE 10

Rollers, Balls, Straps, and Supports

Use comfort and positioning tools without tissue-breaking stories.

PAGE 11

The Modification Hierarchy

Change the smallest variable that makes the movement useful and tolerable.

PAGE 12

Common Errors and Action Plan

Make the setup secure, the purpose explicit, and the exit from the tool intentional.

THE OUTCOME

Use bands, PVC, rollers, straps, walls, benches, and regressions only when they improve access, feedback, control, or task performance.

ACCESS THE RANGE. CONTROL THE RANGE. USE THE RANGE.



LEGAL DISCLAIMER

Strength Compound LLC d/b/a PA Strength (the “Publisher”) provides this guide for general education. This guide, including its text, workouts, images, and worksheets (the “Content”), does not provide individualized medical, physical therapy, dietetic, or other licensed professional care.

Before changing your exercise or nutrition routine, consult a qualified health professional if you have a medical condition, an injury or symptoms, are pregnant or postpartum, take medication, or are unsure whether the Content is suitable for you. Do not use the Content to diagnose a condition or delay needed care.

Use a comfortable, controlled range. Do not force a joint position or treat a drill as a diagnosis or treatment for pain. Stop if a movement causes sharp pain, dizziness, numbness, or other concerning symptoms, and seek appropriate professional advice.

You decide whether and how to use the Content. Physical activity and changes in diet may involve risk. No particular result is promised; responses vary by person. Information can change after publication. Any right or protection that applicable law says a publisher cannot waive stays in effect, and this notice does not limit it.



THE TOOL MUST SERVE THE TASK

MAIN LESSON Choose equipment by the change it is meant to create.

Mobility tools change leverage, assistance, resistance, feedback, support, or sensation. None is automatically superior to a no-equipment drill. A useful tool makes the intended position easier to understand, access, control, or load. An unnecessary tool adds complexity without improving the task. Before selecting equipment, name the target movement, suspected constraint, and desired response. Choose the smallest tool that changes the relevant variable. Retest without the tool whenever practical. The tool is successful when the person moves better after using it—not when the setup looks advanced.

KEY POINTS

- Bands can assist, resist, cue direction, or change leverage.
- PVC or a dowel provides alignment and contact feedback.
- A strap or towel can assist reach.
- A wall, bench, rack, or floor can stabilize a position.
- A roller or ball may affect short-term comfort or range; it does not break tissue apart.

COMMON SENSE CHECK

If the same result occurs without the tool, use the simpler option.

REAL WORLD TRANSLATION

A wall reduces balance demands during an ankle drill. Removing it too early turns the drill into a balance test.

APPLY IT

Name the exact job of every tool in one current routine.

BAND ASSISTANCE AND RESISTANCE

MAIN LESSON Use band tension to change the exercise not to claim a joint was permanently repositioned.

A band may support part of the body, guide a direction, provide feedback, or create resistance that must be controlled. Anchor, tension, line of pull, body position, and intended motion all matter. More tension is not automatically better; excessive pull can distort the position or create a false sense of range. Use a secure anchor, inspect the band, keep the face and vulnerable areas out of the recoil path, and begin with light tension. Move into a tolerable position and maintain control. Follow assisted range with an active repetition or task retest so the person practices owning the position without the band.

Band job	Setup change	Question
Assist	Reduce leverage	Can range be accessed?
Guide	Directional cue	Can the path be learned?
Resist	Active demand	Can range be owned?
Feedback	Expose compensation	Can control improve?
Substitute	Replace equipment	Is the task preserved?

COMMON SENSE CHECK
More band tension can create more compensation instead of more mobility.

REAL WORLD TRANSLATION
An aggressive hip pull rotates the pelvis. Less tension produces a smaller but more controlled position and a better squat retest.

APPLY IT
Reduce band tension until the intended motion remains controlled and repeatable.



BAND-ASSISTED MODULES

MAIN LESSON Pair assisted access with active control and a task-specific retest.

Band modules can address the ankle, hip, shoulder or lat region, and thoracic rotation. Each module needs a secure setup, named intent, conservative dose, and stop rule. Avoid vague claims that the band creates permanent joint space or corrects alignment. For an ankle module, the band may provide direction while the knee moves over the foot. For a hip module, it may assist supported flexion or rotation. For the shoulder, it may reduce leverage during a reach or create light resistance during control work. Follow with an unassisted repetition and the original task.

KEY POINTS

- Ankle: control foot contact and knee direction; do not force the joint.
- Hip: stabilize the pelvis and use only enough assistance to clarify motion.
- Shoulder or lat: avoid hanging passively or using uncontrolled recoil.
- Thoracic rotation: anchor the body so the band does not twist the entire trunk.

COMMON SENSE CHECK

Assisted range is incomplete until the person demonstrates control without assistance.

REAL WORLD TRANSLATION

A band-assisted ankle drill increases range. Slow unassisted rocks and a squat retest show whether it is usable.

PA MOBILITY DEEP DIVE

Treat the band as a temporary constraint or cue. The person—not the equipment—must create and control the movement.

APPLY IT

Write setup, intent, dose, active follow-up, and stop rule for one band drill.

PVC AND DOWEL FEEDBACK

MAIN LESSON Use a rigid reference to make position and movement easier to understand.

A PVC pipe or dowel supplies external feedback without meaningful load. It can identify three-point contact during a hinge, provide consistent hand width during shoulder motion, clarify bar position, or make rotation and squat positions easier to observe. It shows what happened; it does not prove why. Common modules include the three-point-contact hinge, overhead reach, comfortable pass-through, squat pattern, thoracic rotation, and front-rack or press-position preparation. Choose grip width and range that permit control. Do not force pass-throughs or treat a dowel squat as a universal posture test.

Module	Reference	Primary use	Regression	Retest
Hinge	Head back sacrum	Position feedback	Wall hinge	Unloaded hinge
Overhead	Hand spacing	Reach control	Wider grip	Active reach

COMMON SENSE CHECK
A PVC pipe is a reference, not a device that forces everyone into one shape.

REAL WORLD TRANSLATION
Three-point contact teaches a hinge, but it disappears without the dowel. The person needs more unassisted practice.

PA MOBILITY DEEP DIVE
External feedback should fade. Reduce contact points, assistance, or cues as independent control improves.

APPLY IT
Use the dowel as feedback, remove it, and repeat the same pattern.



SHOULDER AND T-SPINE SEQUENCE

MAIN LESSON Combine thoracic motion, scapular control, shoulder range, and an integrated reach.

Do not assume the upper back is the only restriction. Begin with breathing and a comfortable reach, add supported thoracic rotation or extension, use a dowel or wall for shoulder feedback, and finish with an active overhead reach, light press, pull, or carry. A sample module is supported breathing, open-book rotation, bench-supported thoracic extension, wall slide, PVC overhead reach, and light band pressing or pulling. Use four to six movements and conservative repetitions. If one drill worsens comfort or control, remove it. Retest the task instead of judging success by dowel travel.

KEY POINTS

- Breathing and ribcage: establish a comfortable starting position.
- Thoracic motion: supported rotation or extension without forcing the neck or low back.
- Scapula and shoulder: practice reaching and rotation with control.
- Integration: finish with the press, pull, overhead reach, or carry.

COMMON SENSE CHECK

Do not measure success by the narrowest PVC grip or the largest stretch.

REAL WORLD TRANSLATION

A wider dowel grip produces a clean reach. Narrowing it creates rib flare and discomfort, so wider is currently better.

APPLY IT

Select four movements and identify what each contributes to the final task.



ROLLERS, BALLS, STRAPS, AND SUPPORTS

MAIN LESSON Use comfort and positioning tools without tissue-breaking stories.

Foam rollers and massage balls may produce short-term changes in comfort or range and may support recovery perception for some people. Evidence does not justify claiming that rolling breaks scar tissue, permanently lengthens muscle, or realigns the body. Pressure should not create numbness, tingling, bruising, or worsening symptoms. Straps and towels assist reach; walls, benches, racks, and floors provide support; blocks or pads adjust starting position. These tools can improve control by reducing irrelevant balance or leverage demands. Use the least complex option that permits the intended movement, then transition to active control and the task.

KEY POINTS

- Roller or ball: brief sensory input followed by movement.
- Strap or towel: assisted reach with controlled tension.
- Wall or rack: balance and directional feedback.
- Bench or floor: support and reduced leverage.
- Pad or block: adjust the start while preserving purpose.

COMMON SENSE CHECK

Temporary relief can be useful without proving a permanent tissue change.

REAL WORLD TRANSLATION

Brief calf rolling makes ankle motion feel easier. Ankle rocks and the squat practice using the change.

PA MOBILITY DEEP DIVE

Pressure is not a score. More painful rolling does not demonstrate better tissue work.

APPLY IT

Pair one comfort tool with one active movement and one task retest.



THE MODIFICATION HIERARCHY

MAIN LESSON Change the smallest variable that makes the movement useful and tolerable.

A modification should preserve purpose while respecting range, symptoms, equipment, and control. Begin with position, range, leverage, support, load, speed, or tool. Change one variable at a time when possible so the response can be interpreted. When equipment is unavailable, identify the job before substituting. A band-assisted reach may become a wall slide; a PVC hinge may become a wall hinge; a bench-supported position may use a bed, chair, rack, or floor. Success means preserving intent and producing a comparable response—not looking identical.

KEY POINTS

- Position: standing, half-kneeling, seated, quadruped, supine, or supported.
- Range: shorten to the largest comfortable controlled motion.
- Leverage and support: move closer, widen the base, or add contact.
- Load and speed: reduce resistance, slow, or use an isometric.

COMMON SENSE CHECK

A regression is a better entry point, not a lesser exercise.

REAL WORLD TRANSLATION

A floor drill is difficult to enter. Performing the same job at a wall makes consistent practice possible.

APPLY IT

Modify one drill using one lever, then retest before changing another.



COMMON ERRORS AND ACTION PLAN

MAIN LESSON Make the setup secure, the purpose explicit, and the exit from the tool intentional.

Tool-based mobility fails when equipment becomes the point. Common errors include excessive band tension, unsafe anchors, forced PVC range, painful rolling, complicated setups, unsupported tissue claims, and never practicing the movement without assistance. Use a five-part exercise-purpose card: what should move, what should remain controlled, what the person should feel, how the drill is dosed, and what requires stopping. Inspect equipment and anchors. Avoid band recoil. Stop for sharp or escalating pain, numbness, tingling, unexplained weakness, major swelling, loss of function, or acute injury.

KEY POINTS

- Name the tool's job before choosing the drill.
- Use the lowest tension or pressure that produces a useful response.
- Follow assistance or sensory work with active control.
- Retest the original task and remove equipment that adds no value.

COMMON SENSE CHECK

The tool is optional; the movement objective is not.

REAL WORLD TRANSLATION

A hotel has no band or PVC. A wall, towel, chair, and bodyweight preserve the sequence.

APPLY IT

Complete one exercise-purpose card and one no-equipment substitution.



MOVE BETTER. FEEL BETTER. LIVE BETTER.

You now have a tool hierarchy built around purpose. Name the movement job, change the smallest useful variable, practice active control, and retest without unnecessary equipment.

BEFORE YOUR NEXT SESSION

- ☐ Name the tool's exact job before choosing the drill.
- ☐ Inspect anchors, bands, supports, and the surrounding space.
- ☐ Use the lowest tension, pressure, or assistance that works.
- ☐ Follow assistance or sensory input with active movement.
- ☐ Preserve intent when equipment changes.
- ☐ Remove any tool that adds complexity without improving the task

FINAL DECISION CHECK

COACH QUESTION

What must the drill accomplish—and does the tool make that job clearer, safer, or more usable?

WRITE THE ANSWER BEFORE YOU CHANGE THE PLAN.

ASSESS THE MOVEMENTIMPROVE WHAT LIMITS IT.

**NEXT: RECOVER AND
KEEP MOVING →**